


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

☐ Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "(( storage&lt;in&gt;metadata ) &lt;and&gt; ( redundant &lt;in&gt;metadata ) )&lt;and&gt; ( virtual\*..."

☐ e-mail

Your search matched 3 of 1450046 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

## » Search Options

[View Session History](#)[New Search](#)

## Modify Search

(( ( storage&lt;in&gt;metadata ) &lt;and&gt; ( redundant &lt;in&gt;metadata ) )&lt;and&gt; ( virtual\*&lt;in&gt;me

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

## » Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

[Select All](#) [Deselect All](#)

- ☐ 1. **Protecting free expression online with Freenet**  
Clarke, I.; Miller, S.G.; Hong, T.W.; Sandberg, O.; Wiley, B.;  
[Internet Computing, IEEE](#)  
Volume 6, Issue 1, Jan.-Feb. 2002 Page(s):40 - 49  
Digital Object Identifier 10.1109/4236.978368  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(440 KB\)](#) IEEE JNL  
[Rights and Permissions](#)
- ☐ 2. **Design and implementation of reconfigurable gateway array of multiple f**  
Qin Zhang; Peng Li; Jizhong Han; Chengde Han;  
[Networking, Architecture, and Storages, 2006. NAS '06. International Worksho](#)  
1-3 Aug. 2006 Page(s):6 pp.  
Digital Object Identifier 10.1109/IWNAS.2006.25  
[AbstractPlus](#) | Full Text: [PDF\(152 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
- ☐ 3. **An efficient BIST method for distributed small buffers**  
Jones, W.B.; Huang, D.C.; Wu, S.C.; Lee, K.J.;  
[Very Large Scale Integration \(VLSI\) Systems, IEEE Transactions on](#)  
Volume 10, Issue 4, Aug. 2002 Page(s):512 - 515  
Digital Object Identifier 10.1109/TVLSI.2002.800532  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(288 KB\)](#) IEEE JNL  
[Rights and Permissions](#)

Indexed by  
 Inspect®[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2006 IEEE -


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

☐ Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "(( storage&lt;in&gt;metadata ) &lt;and&gt; ( redundant &lt;in&gt;metadata ) )&lt;and&gt; ( virtual\*&lt;in&gt;me"

☐ e-mail

Your search matched 3 of 1450046 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

## » Search Options

[View Session History](#)[New Search](#)

## Modify Search

(( storage&lt;in&gt;metadata ) &lt;and&gt; ( redundant &lt;in&gt;metadata ) )&lt;and&gt; ( virtual\*&lt;in&gt;me

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

## » Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

[Select All](#) [Deselect All](#)

- ☐ 1. **Protecting free expression online with Freenet**  
Clarke, I.; Miller, S.G.; Hong, T.W.; Sandberg, O.; Wiley, B.;  
[Internet Computing, IEEE](#)  
Volume 6, Issue 1, Jan.-Feb. 2002 Page(s):40 - 49  
Digital Object Identifier 10.1109/4236.978368  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(440 KB\)](#) IEEE JNL  
[Rights and Permissions](#)
- ☐ 2. **Design and implementation of reconfigurable gateway array of multiple f**  
Qin Zhang; Peng Li; Jizhong Han; Chengde Han;  
[Networking, Architecture, and Storages, 2006. NAS '06. International Worksho](#)  
1-3 Aug. 2006 Page(s):6 pp.  
Digital Object Identifier 10.1109/IWNAS.2006.25  
[AbstractPlus](#) | Full Text: [PDF\(152 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
- ☐ 3. **An efficient BIST method for distributed small buffers**  
Jones, W.B.; Huang, D.C.; Wu, S.C.; Lee, K.J.;  
[Very Large Scale Integration \(VLSI\) Systems, IEEE Transactions on](#)  
Volume 10, Issue 4, Aug. 2002 Page(s):512 - 515  
Digital Object Identifier 10.1109/TVLSI.2002.800532  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(288 KB\)](#) IEEE JNL  
[Rights and Permissions](#)

Indexed by  
 Inspec®[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2006 IEEE -

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) | [Sitemap](#) | [Help](#)

Welcome United States Patent and Trademark Office

 AbstractPlus

BROWSE


SEARCH

IEEE XPLORE GUIDE

SUPPORT

[View Search Results](#) | [Previous Article](#) | [Next Article](#) ▶ e-mail  printer friendly

Access this document

 Full Text: [PDF](#) (152 KB)

Download this citation

Choose [Citation & Abstract](#) ▼Download [ASCII Text](#) ▼» [Learn More](#)[Rights and Permissions](#)» [Learn More](#)

## Design and implementation of reconfigurable gateway array of multiple fabrics (RGAMF)

Qin Zhang [Peng Li](#) [Jizhong Han](#) [Chengde Han](#)  
Inst. of Comput. Technol., Chinese Acad. of Sci., China

This paper appears in: [Networking, Architecture, and Storages, 2006. NAS '06. International Workshop on](#)

Publication Date: 1-3 Aug. 2006

On page(s): 6 pp.

Number of Pages: CD-ROM

INSPEC Accession Number: 9063209

Digital Object Identifier: 10.1109/INNAS.2006.25

Posted online: 2006-08-14 10:01:00.0

### Abstract

In today's data center, the demand on server I/O is increasing to transfer huge data between clients and servers or between two servers. Typically, conventional data center uses multiple network adapters to build the server fabric, which bring many drawbacks, such as complex management, hard scalability and expensive cost, and so on. Fortunately, InfiniBand provides a high-bandwidth, low-latency network, and it has been widely used in current data center to create a unified fabric. However, fiber channel and IP fabric are still widely adopted so that many researches have been focused on connecting between InfiniBand and conventional networks. Many methods, such as protocol conversion and bandwidth aggregation, have been proposed to eliminate performance limitation caused by heterogeneous fabrics. Nevertheless, diversity and dynamic requirements of server I/O on data center still didn't be considered. This paper proposes a novel heterogeneous interconnect architecture called RGAMF (reconfigurable gateway array of multiple fabrics), which has five major features: protocol conversion, bandwidth aggregation, **virtual** service mapping, dynamic reconfiguration and **redundant** array. Through verification and evaluation, latency of RGAMF is between 1us and 2us, and the bandwidth of all IP links is close to wire speed at 1Gbps in both directions. Based on the FPGA (field programmable gate array) embedded in each gateway of array, this architecture also provides better flexibility and scalability.

### Index Terms

Inspe

### Controlled Indexing

[bandwidth allocation](#) [client-server systems](#) [field programmable gate arrays](#)  
[internetworking protocols](#) [reconfigurable architectures](#) [redundancy](#)

# Non-controlled Indexing

1 Gbit/s IP fabric IP links InfiniBand bandwidth aggregation data center dynamic reconfiguration fiber channel field programmable gate array heterogeneous interconnect architecture high-bandwidth network low-latency network protocol conversion reconfigurable gateway array of multiple fabrics redundant array server I/O virtual service mapping

## Author Keywords

Not Available

## References

No references available on IEEE Xplore.

## Citing Documents

No citing documents available on IEEE Xplore.

◀ [View Search Results](#) | ◀ [Previous Article](#) | [Next Article](#) ▶

Indexed by  
 Inspec®

[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2006 IEEE – All Rights Reserved

## Refine Search

### Search Results -

Terms	Documents
L1 and (physical same serial\$2)	68

Database:

**US Pre-Grant Publication Full-Text Database**

US Patents Full-Text Database  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

Search:

L2

Refine Search

Recall Text

Clear

Interrupt

### Search History

DATE: Friday, December 29, 2006   [Purge Queries](#)   [Printable Copy](#)   [Create Case](#)

**Set Name Query**

side by side

**Hit Count Set Name**

result set

*DB=PGPB; PLUR=YES; OP=OR*

<u>L2</u>	L1 and (physical same serial\$2)	68	<u>L2</u>
<u>L1</u>	(storage or disk or disc) same redundant same virtual\$7	526	<u>L1</u>

END OF SEARCH HISTORY

## Refine Search

### Search Results -

Terms	Documents
L3 and (physical same serial\$2)	10

Database:

**US Pre-Grant Publication Full-Text Database**

 US Patents Full-Text Database  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

Search:

 L4 ▲▼





### Search History

DATE: Friday, December 29, 2006

[Purge Queries](#)[Printable Copy](#)[Create Case](#)**Set Name Query**

side by side

*DB=PGPB; PLUR=YES; OP=OR*L4    L3 and (physical same serial\$2)L3    11.clm.L2    L1 and (physical same serial\$2)L1    (storage or disk or disc) same redundant same virtual\$7**Hit Count Set Name**

result set

10    L440    L368    L2526    L1

END OF SEARCH HISTORY

## Refine Search

### Search Results -

Terms	Documents
(370/351  370/431  370/464  370/906  370/910  710/240  710/74  710/300  710/316  710/3  710/36  710/38  710/314  710/315  711/151  711/114  711/154  711/203  714/5  714/6  714/43).ccls.	15986

Database:

US Pre-Grant Publication Full-Text Database  
 US Patents Full-Text Database  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

Search:

L6

Refine Search

Recall Text

Clear

Interrupt

### Search History

DATE: Friday, December 29, 2006    [Purge Queries](#)    [Printable Copy](#)    [Create Case](#)

SetName Queryside by  
side

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

L6 710/240,74,300,316,3,36,38,314,315;711/151,114,154,203;714/5,6,43;370/351,431,464,906,910.

L5 (storage or disk or disc) same redundant same virtual\$7

DB=PGPB; PLUR=YES; OP=OR

L4 L3 and (physical same serial\$2)

L3 11.clm.

L2 L1 and (physical same serial\$2)

L1 (storage or disk or disc) same redundant same virtual\$7

END OF SEARCH HISTORY

## Refine Search

### Search Results -

Terms	Documents
L8 and (physical same serial\$2)	27

Database:

US Pre-Grant Publication Full-Text Database  
 US Patents Full-Text Database  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

Search:

L9





### Search History

DATE: Friday, December 29, 2006    [Purge Queries](#)    [Printable Copy](#)    [Create Case](#)

Set  
Name Query  
 side by  
 side

*DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR*

L9 L8 and (physical same serial\$2)

L8 L7 and (SVC or PSD or ATA or SCSI)

L7 L5 and L6

L6 710/240,74,300,316,3,36,38,314,315;711/151,114,154,203;714/5,6,43;370/351,431,464,906,910.

L5 (storage or disk or disc) same redundant same virtual\$7

*DB=PGPB; PLUR=YES; OP=OR*

L4 L3 and (physical same serial\$2)

L3 11.clm.

L2 L1 and (physical same serial\$2)

L1 (storage or disk or disc) same redundant same virtual\$7

END OF SEARCH HISTORY